

FIG.1

FIG.2




FIG.3




FIG.4





FIG.5



```
1:<smil>
2: <head>
     <meta name="title" content="navigation" />
3:
     <meta name="author" content="Okure" />
4:
5:
     <meta name="role" content="template" />
     <layout>
6:
7:
      <root-layout width="352" height="144"/>
8:
      <region id="Image" width="176" height="120" left="0" top="0" />
9:
      <region id="Text" width="176" height="120" left="176" top ="0"/>
10:
       <region id="foot" width="352" height="24" left="0" top="121" />
11:
     </layout>
     <action id="act_movie" type="replace" dest="plugin://movie" region="Image" />
12:
     <action id="act_image" type="insert" dest="plugin://camera" region="Image" />
13:
14:
     <action id="act_text" type="insert" dest="plugin://textedit" region="Text" />
     <action id="act_speech" type="insert" dest="plugin://speech_coding" />
16: </head>
```

```
17: <body>
18:
      <par>
19:
       <seq>
20:
        <par dur = "8s">
          <video src = "FirstImage.mpg" region="Image" />
21:
          <text src = "FirstText.txt" region="Text" />
22:
23:
          <audio src = "FirstSound.smf" />
24:
          <event ref="act_movie" src="UI" type="select" desc="MOVIE STARTUP"/>
25:
        </par>
26:
        \langle par dur = "7s" \rangle
27:
          <text src = "SecondText.txt" region="foot" />
          <event ref="act_image" src="UI" type="select" desc="CAMERA STARTUP"/>
28:
29:
          <event ref="act_text" src="UI" type="select" desc="TEXT INPUT"/>
30:
          <event ref="act_speech" src="timer" type="2s" desc="SOUND RECORDING"/>
        </par>
31:
32:
        \langle par dur = "4s" \rangle
33:
          <img src = "ThirdImage.jpg" region="Image"/>
34:
          <text src = "ThirdText.txt" region="Text"/>
35:
          <audio src = "ThirdSound.smf"/>
        </par>
36:
37:
       </seq>
38:
       <text src = "BottomText.txt" region="foot" begin="4s" end="15s" />
39:
     </par>
40: </body>
41:</smil>
```

FIG.8

plugin://movie	MOVIE STARTUP
plugin://camera	CAMERA STARTUP
plugin://textedit	TEXT INPUT
plugin://speech_coding	SOUND RECORDING

FIG.9




FIG.10





FIG.11



**FIG.12** 







FIG.13




**FIG.14** 




**FIG.15** 




**FIG.16** 




**FIG.17** 





**FIG.18** 



**FIG.19** 










FIG.23





FIG.24



**FIG.25** 




FIG.26





FIG.27




**FIG.28** 

LOGIC SYMBOLS	HARDWARE KEY CODES
F1	F
F2	1
F3	2


```
1:<smil>
2: <head>
     <meta name="title" content="navigation" />
     <meta name="role" content="contents" />
4:
5:
     <layout>
      <root-layout width="352" height="144"/>
6:
      <region id="top width="352" height="72" left="0" top="0" />
7:
      <region id="middle" width="352" height="48" left="0" top ="72"/>
     </layout>
10:
     <action id="act_www" type="ext" dest="http://www.sharp.co.jp/sales" />
     <action id="act_mail" type="ext" dest="mailto://sales@sharp.co.jp"/>
12:
     <action id="act_phone" type="ext" dest="phone://09003476786" />
15: </head>
```

```
16: <body>
      <seq>
17:
        <par dur = "10s">
18:
         <img src="ProductImage.jpg" region="top" />
19:
         <text src = "ProductDesc.txt" region="middle" />
20:
21:
         <event begin="1s" dur="3s"ref="act_www" src="UI" type="select" />
         <event begin="4s" dur="3s" ref="act_phone" src="UI" type="select" />
22:
23:
         <event begin="7s" dur="3s" ref="act_mail" src="UI" type="select" />
24:
        </par>
25:
      </seq>
26: </body>
27:</smil>
```

FIG.31



**FIG.32** 






FIG.34







FIG.35




**FIG.36** 





**FIG.37** 





**FIG.39** 








FIG.41A




FIG.43







FIG.44







**FIG.46** 




```
1: <smil>
2:
    <head>
     <meta name="title" content="navigation" />
     <meta name="author" content="Okure" />
4:
     <meta name="role" content="template" />
5:
6:
      <layout>
       <root-layout width="352" height="144"/>
7:
       <region id="Image" width="176" height="120" left="0" top="0" />
8:
       <region id="Text" width="176" height="120" left="176" top ="0"/>
9:
10:
      layout>
     </head>
11:
     <body>
12:
      <par>
13:
14:
        <seq>
         <par dur = "8s">
15:
           <img src = "FirstImage.jpg" region="Image" />
16:
17:
         </par>
         <par dur = "7s">
18:
           <img src = "SecondImage.jpg" region="Image" />
19:
20:
           <text src = "SecondText.txt" region="text" />
21:
         </par>
         \langle par dur = "4s" \rangle
22:
           .
<img src = "ThirdImage.jpg" region="Image"/>
<text src = "ThirdText.txt" region="text" />
23:
24:
         </par>
25:
26:
        </seq>
27:
       </par>
28: </body>
29: </smil>
```





**FIG.49** 




```
1:<smil>
2: <head>
     <meta name="title" content="navigation" />
    <meta name="author" content="Okure" />
    <meta name="role" content="template" />
5:
6:
     <layout>
      <root-layout width="352" height="144"/>
7:
      <region id="Image" width="176" height="120" left="0" top="0" />
      <region id="Text" width="176" height="120" left="176" top ="0"/>
9:
      <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
     <action id="act_movie" type="replace" dest="plugin://movie" region="Image" />
12:
     <action id="act_image" type="insert" dest="plugin://camera" region="Image" />
13:
     <action id="act_text" type="insert" dest="plugin://textedit" region="Text" />
     <action id="act_speech" type="insert" dest="plugin://speech_coding" />
15:
16: </head>
```









TRANSMITTED MESSAGES	TEMPLATES
1221	CONSIDERABLE AMOUNT OF FREE TIME
1222	THIS TASTES GOOD!
1223	CONSIDERABLE AMOUNT OF FREE TIME




FIG.57A





FIG.57B



**FIG.58** 





FIG.59




**FIG.60** 

APPLICATION	MEDIA TYPE
IMAGE TAKING	STILL IMAGE, ANIMATED IMAGE
SOUND DATA RECORDING	SOUND
FILE ACQUISITION	STILL IMAGE, ANIMATED IMAGE, TEXT

```
17: <body>
       <seq>
18: -
19:
        <par dur = "8s">
          <img src = "FirstImage.jpg" region="Image" />
20:
21:
        </par>
22:
        \langle par dur = "7s" \rangle
          <img src = "SecondImage.jpg" region="Image" />
23:
24:
          <text src = "SecondText.txt" region="Text" />
          <event ref="act_image" src="UI" type="select" desc="CAMERA STARTUP"/>
25:
26:
        </par>
        <par dur = "4s">
27:
         <img src = "ThirdImage.jpg" region="Image"/>
28:
29:
         <text src = "ThirdText.txt" region="Text"/>
         <event ref="act_text" src="UI" type="select" desc="TEXT INPUT"/>
30:
31:
        </par>
32:
       </seq>
33: </body>
34:</smil>
```

FIG.62



**FIG.63** 





FIG.64

USER CHANGED DATA	APPLICATION	INPUTTED EVENT
STILL IMAGE2	IMAGE ACQUISITION	F1KEY
·	FILE ACQUISITION	F2KEY
TEXT2	FILE ACQUISITION	selectKEY

FIG.65










FIG.67




```
1:<smil>
2: <head>
    '<meta name="title" content="navigation" />
     <meta name="readOnly" content="yes" />
     <meta name="role" content="template" />
6:
     <lavout>
      <root-layout width="352" height="144"/>
7:
      <region id="Image" width="176" height="120" left="0" top="0" />
8:
      <region id="Text" width="176" height="120" left="176" top ="0"/>
9:
      <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
     </layout>
     <action id="act_movie" type="replace" dest="plugin://movie" region="Image" />
12:
13:
     <action id="act_image" type="insert" dest="plugin://camera" region="Image" />
     <action id="act_text" type="insert" dest="plugin://textedit" region="Text" />
14:
     <action id="act_speech" type="insert" dest="plugin://speech_coding" />
16: </head>
```

FIG.69




```
1:<smil>
 2:<head>
 3: <layout>
     <root-layout width="240" height="260"/>
     <region id="image" top="20" left="20" width="200" height="200" />
     <region id="text" top="220" left="10" width="240" height="20" />
 7: </layout>
 8:</head>
 9:<body>
10: <par dur="2s">
     <img src="top.jpg" region="image" />
     <text src="top.txt" region="text" />
12:
13: </par>
14: <par dur="6s">
     <img src="image.jpg" region="image" />
15:
     <audio src="bgm.amr" />
16:
17:
     <text src="message.txt" region="text" />
18: </par>
19:</body>
20:</smil>
```

```
1:<html>
 2: <body>
      <form action="http://localhost/mmproc" method="post">
 4:
        <a href="mailto:</a> <a href="mailto:label">Iabel</a> <a href="mailto:SELECT PHOTO">SELECT PHOTO</a>
 5:
        <input name="image.jpg" type="file" accept="image/*" />
 6:
        </label>
 7:
        <label>ENTER BIRTHDAY MESSAGE
 8:
          <input name="message.txt" type="text" />
 9:
        </label>
        <input type="submit" value="send"/>
10:
11: </form>
12: </body>
13:</html>
```



- 1:<?xml version="1.0" encoding="UTF-8"?>
  2:<mmstemplate xmlns=http://www.foo.com/2003/MMSTemplate ...>
  3: <head>
- 4: <title>Postcard Example</title>
- 5: </head>
- 6: <composition>
- 7: <template src="http://www.example.com/postcard-comp.htm"/>
- 8: </composition>
- 9: cpresentation>
- 10: <template src="http://www.example.com/postcard-rend.smi"/>
- 12: </presentation>
- 13:</mmstemplate>




```
1:<?xml version="1.0" encoding="Shift_JIS"?>
 2:<smil>
 3:<head>
 4: <layout>
     <root-layout backgroundColor="black"/>
     <region id="main" top="0%" left="10%" width="80%" height="100%" z-index="1"/>
     <region id="right" right="0%" top="0%" width="10%" height="100%" z-index="0"/>
 7:
     <region id="left" left="0%" top="0%" width="10%" height="100%" z-index="0"/>
 9: </layout>
10:</head>
11:<body>
<video id="tvcontents" src="data:,dummy" region="main" />
     <img src="http://www.example.com/tvinfo/r-info.jpg"region="right" />
14:
15:
     <img src="http://www.example.com/tvinfo/l-info.jpg"region="left" />
16: </par>
17:</body>
18:</smil>
```


```
1:<?xml version="1.0" encoding="Shift_JIS"?>
 2:<psd version="1.0">
 3: <channel>SMIL CHANNEL</channel>
 4: <day value="2003-09-29">
 5: <embededid value= "tvcontents" />
 6:
     program>
 7:
      <schedule>
 8:
        <starttime value="0:00"/>
        <endtime value="2:00"/>
 9:
10:
      </schedule>
      <title>ANIMATION</title>
11:
      <ref href="ch_4"/>
12:
13:
     </program>
14:
     program>
      <schedule>
15:
       <starttime value="2:00"/>
16:
17:
       <endtime value="4:00"/>
18:
      </schedule>
19:
      <title>SHAARP PRODUCT INFORMATION</title>
20:
      <ref ref="www.example.com/product.smil"/>
21:
    gram>
      (OMITTED: DESCRIPTION AT AND AFTER 4:00 CONTINUES)
 : </day>
  : <day value="2003-09-30">
 : </day>
 :</psd>
```

- 1:<?xml version="1.0" encoding="Shift\_JIS"?>
- 2:<mmstemplate>
- 3: <head>
- 4: <title>SMIL CHANNEL</title>
- 5: </head>
- 6: <composition>
- 7: <template src="smil.psd"/>
- 8: </composition>
- 9: cpresentation>
- 10: <template src="tvlayout.smil"/>
- 11: </presentation>
- 12:</mmstemplate>

**FIG.78** 



**FIG.79** 



### FIG.80A

# java.util.LinkedList DisplayContentList // HOLDING OF DisplayContent CLASS IN LIST int CurrentTime // TIME OF REPRODUCTION AT THIS TIME

# FIG.80B

DisplayContent				
java.lang.String MediaType	// MEDIA TYPE			
java.io.File MediaFile	// FILE NAME			
java.awt.Rectangle Region	// DISPLAY REGION			
int BeginTime	// TIME OF START OF REPRODUCTION(sec	3)		
int EndTime	// TIME OF COMPLETION OF REPRODUCT	ON		
java.lang.String EvtSrc	// event src			
java.lang.String EvtType	// event type			
java.lang.String EvtDesc	// event desc			
java.lang.String ActId	// action id			
java.lang.String ActType	// action type			
java.net.URI ActDest	// action dest			
	•			

ThirdImage.jpg | ThirdText.txt | ThirdSound.smf | BottomText.txt text 0, 121, 352, 24 = 5 audio 0 13 0000 text 0, 176, 120 5 <u>1</u> တ mg 0, 0, 176, 5 19 ω CAMERA STARTUP | TEXT INPUT | SOUND RECORDING plugin://camera|plugin://textedit|plugin://speech\_config| act\_speech audio insert timer 2 **2s** 0000 act\_text select insert text 176, 0, 176, 120 5 5 9 act\_image select insert 0, 176, 120 ing 15 5 Ŋ FirstImage.mpg|FirstText.txt|FirstSound.smf|SecondText.txt text 0, 121, 352, 24 15 4 audio က 0 0 0 text 0, 176, 120 2 0  $\infty$ plugin://movie MOVIE STARTUP act\_movie replace select video 176, 120 0 ω ATTRIBUTES ActType Region (x,y,w,h) ActDest EvType EvDesc Media Media Media EvSrc Begin ActId Type Time Time End


FIG.81

ThirdImage.jpg | ThirdText.txt | ThirdSound.smf | BottomText.txt text 0, 121, 352, 24 = 5 audio 10 <del>1</del>0 0000 text 176, 0, 176, 120 15 19 E S 0, 0, 176, 5 <del>1</del>9 CAMERA STARTUP | TEXT INPUT | SOUND RECORDING | plugin://camera|plugin://textedit|plugin://speech\_config| FirstImage.mpg | FirstText.txt | FirstSound.smf | SecondText.txt | CameraPict01.jpg | EditText01.txt | Voice01.amr act\_speech audio insert timer 5 **2s** <u>0</u>0000 ω act\_text select insert text 176, 0, 176, 120 15 5 9 act\_image select insert 0, 176, 120 img 5 5 Ŋ text 0, 121, 352, 24 5 4 audio က 0,0 text 0, 176, 120 0 ω plugin://movie MOVIE STARTUP act\_movie replace select video 0, 0, 176, 120 0 ω ATTRIBUTES ActType ActDest Region (x,y,w,h) EvType EvDesc Media Media Media EvSrc Type Begin ActId Time Time End

FIG.82

```
1: <smil>
 2: <head>
      <meta name="title" content="navigation" />
      <meta name="author" content="Okure" />
 5:
      <meta name="role" content="template" />
 6:
      <layout>
 7:
       <root-layout width="352" height="144" />
 8:
       <region id="Image" width="176" height="120" left="0" top="0" />
 9:
       <region id="Text" width="176" height="120" left="176" top="0" />
        <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
       </lavout>
12:
       <action id="act_movie" type="replace" dest="plugin://movie" region=</pre>
13:
      <action id="act_image" type="replace" dest="plugin://camera" region=</pre>
                                                                     "Image" />
      <action id="act_text" type="replace" dest="plugin://textedit" region="Text" />
14:
      <action id="act_speech" type="replace" dest="plugin://speech_config" />
15:
16:
     </head>
17:
     <body>
18:
      <par>
19:
        <seq>
20:
         \langle par dur = "8s" \rangle
21:
          <video src = "FirstImage.mpg" region = "Image" />
22:
          <text src = "FirstText.txt" region = "Text" />
23:
          <audio src = "FirstSound.smf" />
24:
          <event ref ="act_movie" src="UI" type="select" desc="MOVIE STARTUP" />
25:
         </par>
26:
         \langle par dur = "7s" \rangle
27:
          <text src = "SecondText.txt" region = "foot" />
         <img src = "CameraPict01.jpg" region = "Image" />
         <text src = "EditText01.txt" region = "Text" />
         <audio src = "Voice01.amr" />
28:
          <event ref="act_image" src="UI" type="select" desc="CAMERA STARTUP" />
29:
          <event ref="act_text" src="UI" type="select" desc="TEXT INPUT" />
30:
          <event ref="act_speech" src="timer" type="2s" desc="SOUND RECORDING" />
31:
         </par>
32:
         <par dur = "4s">
33:
          <img src = "ThirdImage.jpg" region = "Image" />
34:
          <text src = "ThirdText.txt" region = "Text" />
35:
          <audio src = "ThirdSound.smf" />
36:
         </par>
37:
       </seq>
38:
       <text src="BottomText.txt" region="foot" begin="4s" end="15s" />
39:
      </par>
40: </body>
41: </smil>
```

```
1: <smil>
    <head>
 2:
 3:
      <meta name="title" content="navigation" />
      <meta name="author" content="Okure" />
4:
      <meta name="role" content="template" />
5:
6:
      <lavout>
       <root-layout width="352" height="144" />
7:
       <region id="Image" width="176" height="120" left="0" top="0" />
8:
       <region id="Text" width="176" height="120" left="176" top="0" />
9:
        <region id="foot" width="352" height="24" left="0" top="121" />
10:
11:
      </layout>
12:
13:
14:
15:
16:
     </head>
17:
     <body>
18:
      <par>
19:
        <sea>
         <par dur = "8s">
20:
           <video src = "FirstImage.mpg" region = "Image" />
21:
           <text src = "FirstText.txt" region = "Text" />
22:
23:
           <audio src = "FirstSound.smf" />
24:
25:
         </par>
         <par dur = "7s">
26:
           <text src = "SecondText.txt" region = "foot" />
27:
28:
           <img src = "CameraPict01.jpg" region = "Image" />
          <text src = "EditText01.txt" region = "Text" />
29:
           <audio src = "Voice01.amr" />
30:
31:
         </par>
         <par dur = "4s">
32:
33:
           <img src = "ThirdImage.jpg" region = "Image" />
34:
           <text src = "ThirdText.txt" region = "Text" />
           <audio src = "ThirdSound.smf" />
35:
36:
         </par>
37:
        </seq>
38:
        <text src="BottomText.txt" region="foot" begin="4s" end="15s" />
39:
      </par>
40: </body>
41: </smil>
```



# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.